



This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS

REV	DESCRIPTION	DATE	INITIAL	APPROVED
A	CH'D TOOL NUMBER WAS RBEL670M2003051G265-01 IS RBEL670M-2003-051G265-01.	10/16/2013	RJC	RW



ASSY QTY	ASSY QTY	B/O	Part #	UNIT QTY	Description	Material	B/O INFORMATION OR SPECIFICATIONS	PG.
			-1	1	PLATE	6061	1/8 X 7-7/8 X 12-1/2	2
			-3	1	LONG ANGLE	6061	2 X2 X 3/16 X 8 ARCHITECTURAL ANGLE	3
			-5	3	SMALL ANGLE	6061	1 X1 X 1/8 X 1-3/4 ARCHITECTURAL ANGLE	4
		B/O	-15	8	DOWEL PIN	STEEL	Ø3/16 X 3/8 MCMaster-CARR #98381A503	1
		B/O	-7	3	MACHINE SCREW	300 S.S.	1/4-20 UNC X 5/8 MCMaster-CARR #93085A539	1
		B/O	-9	3	MACHINE SCREW	300 S.S.	1/4-20 UNC X 3/4 MCMaster-CARR #93085A540	1
		B/O	-11	6	FLAT WASHER	ALLOY 20 S.S.	Ø9/32 I.D. X 5/8 O.D. MCMaster-CARR #90770A029	1
		B/O	-13	6	HEX NUT	18-8 S.S.	1/4-20 UNC MCMaster-CARR #91845A029	1




RED BARN MACHINE


TITLE		ADJUSTING GAUGE	
DWG NO.	RBEL670M-2003-051G265-01		REV A
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ON: DECIMALS .XXX ± .005 .XX ± .01 .X ± .1 FRACTIONS ± 1/32 ANGLES ± 5°		DRAWN BY: CLOUGH	
		APPROVED <i>D Weil</i>	
		HEAT TREAT FINISH	
		SPEC	
UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES .015 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING		USED ON MODEL	
		EC135	
		SHEET 1 OF 4	
SCALE	1:4	DATE	2/14/2012

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED




 <h1>RED BARN MACHINE</h1>	
<h2>ADJUSTING GAUGE</h2>	
TITLE	
DWG NO.	REV
RBEL670M-2003-051G265-01-1	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	
TOLERANCES ON: DECIMALS .XXX ± .005 .XX ± .01 .X ± .1	
FRACTIONS ± 1/32 ANGLES ± 5°	
UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES .015 x .45° PR .015 R	
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	
DRAWN BY: CLOUGH	
APPROVED <i>D Weill</i>	
HEAT TREAT FINISH	
CLEAR ANODIZE	
SPEC-A-8625F, TYPE II, CLASS II	
USED ON MODEL	
EC135	
SCALE	DATE
1:2	2/14/2012
SHEET 2 OF 4	

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED





(-3)

 <h1>RED BARN MACHINE</h1>	
<h2>ADJUSTING GUAGE</h2>	
DWG NO. RB670M-2003-051G265-01-3	REV A
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ON: DECIMALS .XXX ± .005 .XX ± .01 .X ± .1 FRACTIONS ± 1/32 ANGLES ± 5°	DRAWN BY: CLOUGH APPROVED <i>D Weed</i> HEAT TREAT FINISH ANODIZE CLEAR SPEC MIL-A-8625F, TYPE II, CLASS I USED ON MODEL EC135
UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES .015 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	
SCALE 1:2	DATE 2/14/2012
SHEET 3 OF 4	

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED



(-5)
SMALL ANGLE

 RED BARN MACHINE	
ADJUSTING GAUGE	
DWG NO. RBEL670M-2003-051G265-01-5	
TITLE ADJUSTING GAUGE	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	
TOLERANCES ON: DECIMALS .XXX ± .005 .XX ± .01 .X ± .1	
FRACTIONS ± 1/32 ANGLES ± .5°	
UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES .015 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	
DRAWN BY: CLOUGH APPROVED: <i>D Weil</i> HEAT TREAT FINISH CLEAR ANODIZE SPEC MIL-A-8625F, TYPE II, CLASS I USED ON MODEL EC135	
SCALE 2:1	DATE 2/14/2012
SHEET 4 OF 4	